TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Light Station Rose Island MONTH OF February 1961

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	2,850		200	24	8,500		
EXPENDED	280		25	0	2,800		
REMAINING	2,570		175	24	5,700		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	660.40 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	111.30 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	772.10 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
16585 BOATS (BY NO.)		X			
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rocks L/S	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

"J""W" Owens, BM1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 1 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	30.10	—	14	Bc	—	—	8	—	—
0400	SW	4	30.10	—	8	Bc	—	—	8	—	—
0800	SW	3	30.10	—	12	Bc	—	—	8	—	—
1200	SW	3	30.06	—	24	Bc	—	—	8	—	—
1600	SW	3	30.06	—	16	Bc	—	—	8	—	—
2000	SW	2	30.10	—	6	Bc	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2850	24	8500
EXPENDED	10	—	100
REMAINING	2840	24	8400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured main light
0800 Colors – Turn to
1200 Chow
1300 Turn to
1600 Secured – Checked all Vis A/N
1630 Main light on – Colors
2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs 2 Feb. 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.16	—	2	BC	—	—	8	—	—
0400	NW	-2	3022	—	-2	BC	—	—	8	—	—
0800	NW	3	30.32	—	24	BC	—	—	8	—	—
1200	NW	3	3030	—	20	BC	—	—	8	—	—
1600	NW	2	30.36	—	22	BC	—	—	8	—	—
2000	NW	2	30.44	—	16	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2840	24	8400
EXPENDED	10	—	100
REMAINING	2830	24	8300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Nav A/N
0400 Checked All Nav A/N
0700 Secured main Light
0800 Colors - Turn to
1200 Chow
1300 Turn to
1600 Checked all Nav A/N
1630 Secured main Light - Colors
2008 Checked All Nav A/N
*1500 Notified Castle Hill that Bell on Gull Rocks ~~was~~ not Working

CERTIFIED TO BE CORRECT

J. V. [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri 3 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.46	—	12	BC	—	—	8	—	—
0400	NW	2	30.52	—	8	BC	—	—	8	—	—
0800	NW	2	30 56	—	10	BC	—	—	8	—	—
1200	NW	2	30.52	—	24	C	—	—	8	—	—
1600	NW	2	30.52	—	24	C	—	—	8	—	—
2000	NE	2	30.40	—	26	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2830	24	8300
EXPENDED	10	—	100
REMAINING	2820	24	8200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 0930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0930	1030	1	00	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		1	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

9000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main Light

0800 Colors - Turn to

0930 Started Fog Signal - Gull Rocks bell inoperative

1030 Secured Fog signal.

1200 Chow.

1230 Gull Rocks Bell back in operation

1300 Turn to

1600 Checked All Vis A/N

1630 Main Light on - Colors

2000 Checked All Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sat. 4 Feb. 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NE	2	30.20	—	28	C	—	—	8	—	—
0400	NE	4	30.04	—	28	S	—	—	3	—	—
0800	NE ~~29.86~~	4	29.86	—	30	S	—	—	3	—	—
1200	NE	4	2976	—	30	S	—	—	3	—	—
1600	NE	6	29.80	—	28	S	—	—	4	—	—
2000	NE	6	29.90	—	24	S		—	4	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2820	24	8200
EXPENDED	10	—	100
REMAINING	2810	24	8100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 24 hr. Cycle Time Lighted /

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0130	2330	22	—	
TOTAL FOR DAY		22	00	
TOTAL FOR MONTH		23	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all lts A/N
0130 Started Fog signal & Gull Rocks Bell
0400 Checked all lts A/N

0800 Colors - Turn to
1200 Chow
1300 Turn to
1600 Checked all lts A/N
1630 Colors
2000 Checked all lts A/N
2330 Secured Fog Signal & Gull Rocks Bell

CERTIFIED TO BE CORRECT

J. V. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 5 Feb-1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	5	30.04	—	26	BC	—	—	8	—	—
0400	NE	5	30.10	—	24	BC	—	—	8	—	—
0800	NE	5	30.20	—	28	BC	—	—	8	—	—
1200	NW	3	30.30	—	33	B	—	—	8	—	—
1600	Calm		3030	—	34	B	—	—	8	—	—
2000	Calm		30.30	—	26	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2810	24	8100
EXPENDED	10	—	100
REMAINING	2800	24	8000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main light

0800 Colors.

1200 Chow

1600 Checked all Vis A/N

1700 Main lighted — Colors

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. V. Owen BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 6 Feb. (Monday) 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30.30	—	22	B	—	—	8	—	—
0400	Calm		30.30	—	20	B	—	—	8	—	—
0800	Calm		30.28	—	24	B	—	—	8	—	—
1200	NW	1	30.28	—	33	B	—	—	8	—	—
1600	NW	1	30.28	—	34	B	—	—	8	—	—
2000	NW	1	30.27	—	30	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2800	24	8000
EXPENDED	10	—	100
REMAINING	2790	24	7900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1200

FOG SIGNAL (Low visibility only) RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		23	—		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all vis A/N

0400 checked all vis A/N

0700 Main light off

0800 Colors - Turn to.

1200 - Chow

1300 - Turned to

1600 - Secured

~~1630~~ 1700 - colors main light on

2000 - checked all vis A/N

CERTIFIED TO BE CORRECT

J W [illegible] BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 31st Tuesday 1961 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	30.32	-	25	B	—	—	8	—	—
0400	NW	1	30.33	-	23	B.	—	—	8	—	—
0800	W	1	30.30	-	35	B	—	—	8	—	—
1200	W	1	30.30	-	45	B	—	—	8	—	—
1600	NW	1	30.25	-	43	B	—	-	8	—	—
2000	NW	1	30.21	-	37	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2790	24	7900
EXPENDED	10	-	100
REMAINING	2780	24	7800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nia a n
0400 - checked all nia a n
0700 - main light off
0800 - colors turned to
1200 - chow
1300 - turned to
1600 - secured
1700 - colors main light on
2000 - checked all nia a n

CERTIFIED TO BE CORRECT

J. W. Ames
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light station

DATE 8 February Wednesday 1961 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	30.17	–	35	B	–	–	8	–	–
0400	SW	1	30.0	–	33	B	–	–	8	–	–
0800	SW	1	29.96	–	38	B	–	–	8	–	–
1200	SW	2	29.90	–	40	B	–	–	8	–	–
1600	SW	1	29.86	–	37	B	–	–	8	–	–
2000	SW	1	29.81	–	34	B	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2780	24	7800
EXPENDED	10	–	100
REMAINING	2770	24	7700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	–	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all vis a/r
0400- checked all vis a/r
0700- main light off
0800- colors turned to
1200- chow
1300- turned to
1600- secured
1700- main light on
2000- checked all vis a/r

CERTIFIED TO BE CORRECT

J W Owen BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Feb, Thursday 1961 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	c ~~SW~~	—	29.73	—	30	B	—	—	8	—	—
0400	c ~~SW~~	—	29.67	—	27	B	—	—	8	—	—
0800	C	—	29.59	—	36	B	—	—	8	—	—
1200	c	—	29.56	—	49	B	—	—	8	—	—
1600	Calm		29.50	—	52	B	—	—	8	—	—
2000	Calm		29.50	—	46	B	—	-	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2770	24	7700
EXPENDED	10	-	100
REMAINING	2760	24	7600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Checked all Vis A/N

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Checked all Vis A/N - Secured from work

1700 Main Light on - Colors

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W.

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 10 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2952	-	42	BC	-	-	8	-	-
0400	NW	3	2954	-	36	BC	-	-	8	-	-
0800	NW	4	29.60	-	34	BC	-	-	8	-	-
1200	NW	-	29.60	-	42	C	-	-	8	-	-
1600	Calm		29.70	-	40	C	-	-	8	-	-
2000	Calm		29.80	-	36	C	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2760	24	7600
EXPENDED	10	-	100
REMAINING	2750	24	7500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	-	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Xo's A/N

0400 Checked all Xo's A/N

0700 Main Light off

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Checked all Xo's A/N - Secured from Work

1700 Light on - Colors

2000 Checked all Xo's A/N

CERTIFIED TO BE CORRECT

J. W. [illegible]

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 11 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.82	–	32	C	+	–	8	–	–
0400	NW	4	29.86	–	28	C	–	–	8	–	–
0800	NW	4	29.90	–	30	C	–	–	8	–	–
1200	NW	2	30.00	–	34	C	–	–	8	–	–
1600	NW	2	30.02	–	34	S	–	–	8	–	–
2000	NW	2	30.06	–	32	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2750	24	7500
EXPENDED	10	–	100
REMAINING	2740	24	7400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	–	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START
TIME STOP

RADIOBEACON TEST

TIME START
TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main Light

0800 Colors - Turn to -

1200 Chow

1300 Turn to

1600 Secured from work - Checked all Vis A/N

1830 Main Light on - Colors

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 12 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.08	—	26	C	—	—	8	—	—
0400	NW	4	30.10	—	24	C	—	—	8	—	—
0800	NW	3	30.12	—	28	BC	—	—	8	—	—
1200	NW	4	30.14	—	34	BC	—	—	8	—	—
1600	NW	2	30.16	—	36	BC	—	—	8	—	—
2000	NW	2	30.18	—	28	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2740	24	7400
EXPENDED	10	—	100
REMAINING	2730	24	7300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		23	—		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0730 Secured main Light

0800 Colors

1200 Chow

1600 Checked all Vis A/N

1700 Main Light on - Colors

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. V. [illegible] BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 13 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30.22	–	20	BC	–	–	8	–	–
0400	Calm		30.30	–	16	BC	–	–	8	–	–
0800	NW	2	30.36	–	24	B	–	–	8	–	–
1200	NW	2	30 36	–	44	B	–	–	8	–	–
1600	SW	2	30.34	–	36	BC	–	–	8	–	–
2000	SW	2	30.32	–	32	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2730	24	7300
EXPENDED	10	–	100
REMAINING	2720	24	7200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	–	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured main Light
0800 Colors — Turn to.
1200 Chow
1300 Turn to
1600 Checked all Vis A/N
1700 Colors — Main Light on
2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesdy Feb 14 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.22	—	30	C	—	—	8	—	
0400	SW	4	3010	—	32	C	—	—	8	—	—
0800	NE	4	30.00	—	34	R	—	—	5	—	—
1200	E	2	29.90	—	38	Z	—	—	7	—	-
1600	SE	3	29.84	—	38	C	—	—	8	—	—
2000	SW	2	29.90	—	38	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2720	24	7200
EXPENDED	10	—	100
REMAINING	2710	24	7100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0 1200 Time Lighted 1430

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
0730	1200	4	30	
1430	1530	1	00	
TOTAL FOR DAY		5	30	
TOTAL FOR MONTH		28	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all N's A/N
0400 Checked all N's A/N
0730 Fog signal on - Gull Rocks Bell on.
0800 Colors - Turn to
1200 Chow - Secured Fog signal - Gull Rock Bell & Main Light.
1300 Turn to
1430. Started Fog Signal & Gull Rocks Bell.
1530 Secured Fog signal & Gull Rocks Bell.
1600 Checked all N's A/N - Secured from Work
1700 Main Light on - Colors
2000 Checked all N's A/N

CERTIFIED TO BE CORRECT

J. W. Olsen
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 15 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.00	—	34	BC	—	—	8	—	—
0400	NW	3	30.04	—	34	BC	—	—	8	—	—
0800	NW	3	30.10	—	40	BC	—	—	8	—	—
1200	NW	2	30.06	—	48	BC	—	—	8	—	—
1600	NW	2	30.04	—	50	BC	—	—	8	—	—
2000	NW	2	30.04	—	34	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2710	24	7100
EXPENDED	10	—	100
REMAINING	2700	24	7000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL					RADIOBEACON					CALIBRATION SERVICES			
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		28	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured main light
0800 Colors - Turn to
1200 Chow
1300 Turn to
1600 Checked all Vis A/N - Secured from work
1700 Colors - Main light on
2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J W Owens [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 16-Feb-1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.08	—	32	BC	—	—	8	—	—
0400	NW	3	30.10	—	28	C	—	—	8	—	—
0800	NW	3	30.18	—	28	C	—	—	8	—	—
1200	NW	3	30.21	—	33	B/C	—	—	8	—	—
1600	NW	3	30.24	—	30	B/C	—	—	8	—	—
2000	NW	3	30.27	—	27	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2700	24	7000
EXPENDED	10	—	100
REMAINING	2690	24	6900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		29	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all vis A/N

0400 Checked all vis A/N

0700 Secured main light-

0800 Colors - turn to.

1200- chow

1300- turned to

1600- Secured

1900- colors main light on

2000- checked all vis a/n

CERTIFIED TO BE CORRECT

J. V. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Lt.

DATE 17 Feb. Friday 1960 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	30.30	–	25	B	–	–	8	–	–
0400	SW	1	30.34	–	25	B	–	–	8	–	–
0800	SW	1	30.37	–	34	B	–	–	8	-	–
1200	SW	1	30.31		37	B	–	–	8	–	–
1600	SW	1	36.22		35	B	–	–	8	–	–
2000	SW	1	30.18		34	B	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2690	24	6900
EXPENDED	10	–	100
REMAINING	2680	24	6800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED		
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		28	36	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all vis a ok
0400 - checked all vis a ok
0700 - main light off
0800 - colors turned to
1200 - chow
1300 - turned to
1600 - secured
1700 - colors main light on
2000 - checked all vis a ok

CERTIFIED TO BE CORRECT.

J. W. Owens BM 1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L.t.

DATE 18 Feb. Saturday 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30.12	—	33	B	—	—	8	—	—
0400	W	1	30.07	—	34	B/C	—	—	8	—	—
0800	Calm		30.03	—	38	f	—	—	5	—	—
1200	C	—	30.0	—	43	OF	—	—	1	—	—
1600	C	—	29.97	—	40	OF	—	—	1	—	—
2000	C	—	29.94	—	37	OF	—	—	0	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2680	24	6800
EXPENDED	10	—	100
REMAINING	2670	24	6700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0— Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0800	2400	16	—	
TOTAL FOR DAY		16	-	
TOTAL FOR MONTH		44	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START _______ TIME STOP _______

RADIOBEACON TEST

TIME START _______ TIME STOP _______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all nav a n

0400- checked all nav a n

0800- fog horn on colors turned to

1200- chow

1700- colors

2000- checked all nav a n

CERTIFIED TO BE CORRECT

J. W. Owen

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L.H.

DATE Sunday 19, 196 Feb (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	C	—	29.90	—	35	OFR	—	—	0	—	—
0400	S	1	29.87	—	37	OFR	—	—	0	—	—
0800	S	1	29.85	—	38	OFR	—	0	0	—	—
1200	S	2	29.81	—	40	OF	—	—	0	—	—
1600	S	2	29.80	—	47	O	—	—	7	—	—
2000	S	2	29.87	—	40	B/C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2670	24	6700
EXPENDED	10	—	100
REMAINING	2660	24	6600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 24 hr cycle Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1700	17	00	
TOTAL FOR DAY		17	—	
TOTAL FOR MONTH		44	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nā a m

0400 - checked all nā a m

0800 - colors observed sabbath

1700 - fog horn, off colors.

2000 - checked all nās a m

CERTIFIED TO BE CORRECT

J. V. Amos

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/S

DATE 20 Feb Monday 1961 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.98	—	37	B	—	—	8	—	—
0400	NW	1	30.16	—	35	B	—	—	8	—	—
0800	NW	1	30.30	—	40	B	—	—	8	—	—
1200	NW	1	30.30	—	52	BC	—	—	8	—	—
1600	Calm		30.30	—	48	BC	—	—	8	—	—
2000	W	2	30.30	—	42	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2660	24	6600
EXPENDED	10	—	100
REMAINING	2650	24	6500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		44	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nav a/n
0400 - checked all nav a/n
0700 - main light off
0800 colors turned to
1200 chow
1300 maint
1430 Martell, Joseph W. (320-992) EN3 transferred to Castle Hill LBS for further transfer -
1600 Checked all Nav A/N - Secured from work
1700 Main Light on - Colors
2000 Checked all Nav A/N.

CERTIFIED TO BE CORRECT

J. W. Owen BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG–3188 (12–50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE ~~[illegible]~~ Tuesday 21 Feb- 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30-30	—	36	BC	—	—	8	—	—
0400	SW	1	30.30	—	34	BC	—	—	8	—	—
0800	Calm		30.30	—	36	BC	—	—	8	—	—
1200	SW	1	30.53	—	33	BC	—	—	8	—	—
1600	SW	2	30-30	—	36	BC	—	—	8	—	—
2000	SW	2	30.22	—	33	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2650	24	6500
EXPENDED	10	—	100
REMAINING	2640	24	6400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		4430		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured main Light.

J. W. Owen

0800 - 1600

0800 - Colors - Turned To Cleaning Basement -
1200 - Chow
1300 - Turned To - Field day in kitchen.
1600 - Secured from work - checked all Vis A/N

R.L. Sutton

1600 - 2400

1700 - Main Light on.
2000 - checked all Vis A/N

J W Owen BM1

~~2000 - 2400~~

CERTIFIED TO BE CORRECT

J. W. Owen BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 22 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.20	–	28	C	–	–	8	–	–
0400	SW	2	30.16	–	24	C	–	–	8	–	–
0800	WSW	2	30.10	–	34	BC	–	–	8	–	–
1200	SW	3	30.04	–	42	BC	–	–	8	–	–
1600	SW	2	30.00	–	40	BC	–	–	8	–	–
2000	SW	2	30.01	–	36	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2640	24	6400
EXPENDED	10	–	100
REMAINING	2630	24	6300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
2030	2400	3	30	
TOTAL FOR DAY		3	30	
TOTAL FOR MONTH		48	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all V's A/N
0400 checked all V's A/N
0700 Secured main Light

J W Owens BM1

0800 - 1600

0800 Colors - Turned to cleaning and holding field day -
1200 chow
1300 ~~colors~~ Turned To
1600 Secured from work - checked all V's A/N

R L Sutton

1600 - 2400

1700 Colors - Main light on
2000 Checked all V's A/N
2030 Started Fog Signal & Gull Rocks Bell.

J W Owens BM1

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Station

DATE Thursday 23 Feb. 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		29.96	—	34	F	—	—	4	—	—
0400	Calm		29.92	—	36	F	—	—	3	—	—
0800	SW	2	29.90	—	38	F	—	—	3	—	—
1200	SE	3	29.80	—	40	F	—	—	3	—	—
1600	SW	W	29.80	—	42	F	—	—	3	—	—
2000	SW	2	29.70	—	40	F	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2630	24	6300
EXPENDED	10	—	100
REMAINING	2620	24	6200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 24 hr Cycle Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1300	13	—	
1500	2030	5	30	
2200	2400	2	00	
TOTAL FOR DAY		20	30	
TOTAL FOR MONTH		68	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked All Vis A/N

0400 Checked All Vis A/N
07

R. L. Sutton

0800 - 1600

0800 Colons - Turn to Cleaning - painting basement Floor.

1200 chow -

1300 Turn to Painting Basement floor.

1300 Secured Fog signal & Gull Rocks Bell

1500 Starting Fog Signal & Gull Rocks Bell

~~1600~~

J W Owen

1600 - 2400

1600 - Secured from work - Checked all Vis A/N

1700 - Colors

2000 - Checked all vis ~~main light~~ RLS A/N

2200 - Started Fog signal & Gull rocks bell

R L Sutton

CERTIFIED TO BE CORRECT

J W Owen BM
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 24 Febr. 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.76	—	36	F	—	—	3	—	—
0400	Calm		2980	—	34	F	—	—	3	—	—
0800	SW	1	29.88	—	38	F	—	—	1	—	—
1200	SE	2	29.92	—	52	Z	—	—	7	—	—
1600	SE	2	29.94	—	48	F	—	—	2	—	—
2000	SE	2	2998	—	42	F	—	—	1	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2620	24	6200
EXPENDED	10	—	100
REMAINING	2610	24	6100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1030 Time Lighted 1300

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1030	10	30	
1300	2400	11	00	
TOTAL FOR DAY		22	30	
TOTAL FOR MONTH		91	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

J. W. Owen

0800 - 1600

0800 - Colors - Turn to painting furniture and Basement Floor

1130 - Secured fog signal + gull rocks bell + main light

1200 - Chow

1300 - Turned to + Turned on fog signal, gull rocks bell + main light

R. Sutton

1600 - 2400

1600 - Secured from work - Checked all Vis A/N.

1700 - Colors

2000 Checked Vis A/N.

J. W. Owen

CERTIFIED TO BE CORRECT

J. W. Owen BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 25 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	88	1	29.90	—	38	Bc	—	—	4	—	—
0400	SE	2	29.86	—	38	c	—	—	8	—	—
0800	SE	4	29.80	—	40	c	—	—	8	—	—
1200	SE	5	29 70	—	42	F	—	—	5	—	—
1600	SE	6	29 50	—	40	F	—	—	3	—	—
2000	S	6	29.20	—	45	F	—	—	3	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2610	24	6100
EXPENDED	10	—	100
REMAINING	2600	24	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1200

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0200	2	00	
1200	2330	11	30	
TOTAL FOR DAY		13	30	
TOTAL FOR MONTH		105		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all vis a/n
0200 Secured fog signal & gull rocks bell
0400 checked all vis a/n
0700 Secured main light
~~0800 Colors~~ -

R. Sutton

0800 - 1600

0800 Colors - Turn to - cleaning basement - preparing furniture for painting.
1200 Chow - Started Fog signal & Gull Rocks Bell and Main Light on -
1300 Turn to

1600 - 2400

J Moore

1600 Secured from Work - Checked Vis A/N
1700 colors
*2330 Turned off fog signal & gull rocks bell
*2000 checked all vis a/n

R. Sutton

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 26 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	6	28.97	–	46	C	–	–	7	–	–
0400	SW	5	28.93	–	40	C	–	–	4	–	–
0800	SW	5	28.90	–	34	C	–	–	7	–	–
1200	SW	4	29.00	–	40	C	–	–	8	–	–
1600	SW	4	29.30	–	38	C	–	–	8	–	–
2000	SW	4	29.68	–	37	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2600	24	6000
EXPENDED	10	—	100
REMAINING	2590	24	5900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0030	0700	6	30	
TOTAL FOR DAY		6	30	
TOTAL FOR MONTH		111	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N
0030 Started Fog Signal + Gull Rocks Bell
0400 Checked all Vis A/N
0700 Secured Fog Signal - Gull Rocks Bell + Main Light.

J. W. Owen

0800-1600

0800 Colors

1200 Chow
1600 checked all vis a/n

1600 - 2400

1700 colors - Main Light on -
2000 Checked all Vis A/N

J. W. Owen

CERTIFIED TO BE CORRECT

J. W. Owen BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 27 Feb 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.70	—	34	C	—	—	8	—	—
0400	SW	2	29.82	—	32	C	—	—	8	—	—
0800	W	2	29.96	—	38	C	—	—	8	—	—
1200	SW	4	29.94	—	44	BC	—	—	8	—	—
1600	SW	4	29.97	—	42	B	—	—	8	—	—
2000	SW	2	30.00	—	40	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2590	24	5900
EXPENDED	10	—	100
REMAINING	2580	24	5800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		11	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

000 Checked all Vis A/N
0400 Checked all vis A/N
0630 Secured main Light.

J W Orman

0800-1600

0800 Colors - Turn to preparing furniture for painting
1200 chow - Checked all vis a/n
1300 Turned to painting basement floor
1600 Secured from work - checked all vis a/n

R. Sutton

1600-2400

1730 main Light on
2000 Checked all Vis A/N

J. W. Orman

CERTIFIED TO BE CORRECT

J-W. Orman BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 28 Feb 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.04	—	36	C	—	—	8	—	—
0400	Calm		30.06	—	36	C	—	—	8	—	—
0800	NE	2	30.06	—	40	BC	—	—	8	—	—
1200	NE	3	30.00	—	44	BC	—	—	8	—	—
1600	NE	3	30.00	—	37	O	—	—	8	—	—
2000	NE	2	30.02	—	38	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2580	24	5800
EXPENDED	10	—	100
REMAINING	2570	24	5700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		111	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 checked all vis a/n

0400 checked all vis a/n

0630 Secured main light

R. Sutton

0800-1600

0800 Colors - Turn to - painting in basement

1200 chow

1300 Turn to.

1600 Secured from work - Checked all vis a/n

J. Owens

1600-2400

1730 Main light on - Colors

2000 Checked all vis a/n

J. Owens

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)